PRODUCT CATALOGUE

CuroCell Alternating & Static air mattresses

2015



care of sweden
Supporting Life

CuroCell® AREA Zone



Functional mattress replacement system with self-adjusting technology

care of sweden
Supporting Life

CuroCell® AREA Zone

CuroCell® AREA Zone is used as an aid in the prevention and treatment of pressure ulcers up to category 3[1]. Recommended user weight is up to 230 kg[2]. It is a mattress system that combines air with foam for effective pressure redistribution and great comfort. The mattress is self-adjusting and non-powered. It is a flexible mattress replacement system that can be used in all kinds of healthcare settings, easy to use and handle.

CuroCell® AREA Zone is specially designed to be used as an effective aid for preventing pressure ulcers. The mattress has good properties regarding pressure, shear and moisture[2,3], three important elements related to effective prevention or treatment of pressure ulcers.

The mattress system combines foam with air for effective pressure redistribution. It contains nine air cells that are divided into zones, which adapt automatically to the user and provides an individual setting.

It is built up with multiple layers of high quality foam. The mattress' special design reduces shear forces and with the built-in sloped heel function it also reduces pressure on the heel.

CuroCell® AREA Zone has very good pressure redistribution properties and has received a rating of "High pressure relief"[2] in external tests. When tested, the mattress' capacity of pressure redistribution (PAI) it is reported that 100 % of the pressure on the mattress is below the threshold of 30 mmHg (load 80 kg).

Care of Sweden's mattresses are supplied with a four way stretch hygienic outer cover which conforms to relevant standards for hygiene[4], quality and safety. All covers are manufactured from modern, recyclable materials and are vapour permeable[5], which reduce the risk of skin maceration.

Facts

Type: Pressure redistribution air/foam mattress
Height: 18 cm
Function: Prevention and treatment up to and including category 3[1]
Recommended user weight: 0-230 kg[2]
Fire: EN 597-1, -2
Warranty: 5 years
Cleaning of cover: Wipe with cleaning agent and/or disinfectants.
Machine wash max 95 °C, tumble drying.

Features and Characteristics

- A function for reduction of shearing forces
- A zone system in the top mattress
- Easy to handle and maintain
- Flexible and self-adjusting
- Handle for transportation
- Hygienic cover with welded seams
- Inner cover of high quality
- Integrated heel function
- Non-powered mattress replacement system
- Reinforced sides for improved lateral stability
- Unique markings on the mattress and cover

Sizes

80/85/90/105/120x200/210 cm.
If you need any other sizes please contact your distributor.

Optional

- Evac cover
- Low friction cover
- Sturdy transport and storage bag

References

(1) National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers: Quick Reference Guide. Emily Haesler (Ed.). Cambridge Media: Osborne Park, Western Australia; 2014. Action plan against pressure ulcer, Care of Sweden in 2012.
(2) Examination of the pressure relief capability, Berlincert 2012.
(3) SS-EN ISO 15496: 2004, YOUR 53.122.
(4) ISO 16603 "resistance of penetration by blood and body fluids", ISO 16604 "resistance of penetration by blood-borne pathogens", EN 14126, SS 876 00 19 "Medical textiles - Bacterial penetration - Wet".
(5) SS-EN ISO 15496: 2004.

Always read the instruction for use prior to usage of the product.

Care of Sweden and CuroCell are trademarks of Care of Sweden AB.
© Care of Sweden AB, 2015. All rights reserved. Last update: 13/08/15.

Scan QR code to watch presentation video.

Mattress selector
- Guidelines when choosing a product
See how to choose the right mattress at:
www.careofsweden.com/mattress-selector

care of sweden
Supporting Life

Care of Sweden AB, Box 146, SE-514 23 Tranemo, Sweden
+46 (0)771 106 600 | info@careofsweden.se | www.careofsweden.com

CuroCell S.A.M.®

Mattress overlay system with very high comfort

care of sweden
Supporting Life

CuroCell S.A.M.®

The CuroCell S.A.M.® is used as an aid in the prevention and treatment of pressure ulcers up to category 2[1], and for pain therapy. It is a static air mattress overlay system that provides very good comfort and pressure[2] redistribution.

The mattress is made from very soft and durable materials and comes with an easy to use, very quiet pump and CPR (rapid deflation of air). Thanks to the extra soft inner cover (accessory), the already low pressure[3] is further reduced.

Also available is the CuroCell S.A.M.® CF16, which is a mattress replacement system equipped with an integrated foam core, which is placed directly onto the bed frame.

Care of Sweden's mattresses are supplied with a four way stretch hygienic outer cover which conforms to relevant standards for hygiene[4], quality and safety. All covers are manufactured from modern, recyclable materials and are vapour permeable[5], which reduce the risk of skin maceration.

Facts

Type: Static air mattress
Height: 10 cm
Function: Prevention and treatment up to and including category 2[1]
Recommended user weight: 0-200 kg
Power supply: 230 V/50 Hz
Warranty: 2 years
Cleaning of cover: Wipe with cleaning agent and/or disinfectants.
Machine wash max 95 °C, tumble drying.

Features and Characteristics

- CPR function – rapid deflation
- Easy to handle and maintain
- Elastic fastening band
- Silent and energy-efficient pump
- Soft, elastic, vapour permeable[5] hygienic cover
- Unique labelling
- Very good cleaning properties

Sizes

80/85/90/105/120x200/210 cm.
If you need any other sizes please contact your distributor.

Optional

- Bag for the pump
- Durable bag for transportation and storage
- Extra soft inner cover
- Hygiene cover with welded seams
- Transport function

References

(1) National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers: Quick Reference Guide. Emily Haesler (Ed.). Cambridge Media: Osborne Park, Western Australia; 2014.
(2) Examination of the shear force and the pressure relief capability, Berlincert 2009.
(3) Pressure readings with Xsensor, 2008.
(4) ISO 16603 "resistance of penetration by blood and body fluids", ISO 16604 "resistance of penetration by blood-borne pathogens", EN 14126, SS 876 00 19 "Health care textiles – Bacteria penetration – Wet".
(5) SS-EN ISO 15496:2004, DIN 53.122.

Always read the instruction for use prior to usage of the product.

Care of Sweden and CuroCell S.A.M. are trademarks of Care of Sweden AB.
© Care of Sweden AB, 2015. All rights reserved. Last update: 02/06/15.

Mattress selector
- Guidelines when choosing a product
See how to choose the right mattress at:
www.careofsweden.com/mattress-selector

care of sweden
Supporting Life

Care of Sweden AB, Box 146, SE-514 23 Tranemo, Sweden
+46 (0)771 106 600 | info@careofsweden.se | www.careofsweden.com

CuroCell S.A.M.® Switch

Flexible mattress overlay system with very high comfort

care of sweden
Supporting Life

CuroCell S.A.M.® Switch

The CuroCell S.A.M.® Switch is used as an aid in the prevention and treatment of pressure ulcers up to category 2[1], and for pain therapy. It is a static air mattress overlay system that provides very good comfort and pressure[2] redistribution.

CuroCell S.A.M.® Switch has the added advantage that the pump can be used as a support pump only, making the mattress system both noiseless and vibration free.

The mattress is made from very soft and durable materials and comes with an easy to use, very quiet pump. Thanks to the extra soft inner cover (accessory), the already low pressure[3] is further reduced.

Also available is the CuroCell S.A.M.® Switch CF16, which is a mattress replacement system equipped with an integrated foam core, and is placed directly onto the bed frame.

Care of Sweden's mattresses are supplied with a four way stretch hygienic outer cover which conforms to relevant standards for hygiene[4], quality and safety. All covers are manufactured from modern, recyclable materials and are vapour permeable[5], which reduce the risk of skin maceration.

Facts

Type: Static air mattress
Height: 10 cm
Function: Prevention and treatment up to and including category 2[1]
Recommended user weight: 0-200 kg
Power supply: 230 V/50 Hz
Warranty: 2 years
Cleaning of cover: Wipe with cleaning agent and/or disinfectants.
Machine wash max 95 °C, tumble drying.

Features and Characteristics

- Can be used as a support pump only which makes the mattress system both noiseless and vibration free
- Easy to handle and maintain
- Elastic fastening band
- Silent and energy-efficient pump
- Soft, elastic, vapour permeable[5] hygienic cover
- Unique labelling
- Very good cleaning properties

Sizes

80/85/90/105/120x200/210 cm.
If you need any other sizes please contact your distributor.

Optional

- Bag for the pump
- Durable bag for transportation and storage
- Extra soft inner cover
- Hygiene cover with welded seams
- Transport function

References

(1) National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers: Quick Reference Guide. Emily Haesler (Ed.). Cambridge Media: Osborne Park, Western Australia; 2014.
(2) Examination of the shear force and the pressure relief capability, Berlincert 2009.
(3) Pressure readings with Xsensor, 2008.
(4) ISO 16603 "resistance of penetration by blood and body fluids", ISO 16604 "resistance of penetration by blood-borne pathogens", EN 14126, SS 876 00 19 "Health care textiles – Bacteria penetration – Wet".
(5) SS-EN ISO 15496:2004, DIN 53.122.

Always read the instruction for use prior to usage of the product.

Care of Sweden and CuroCell S.A.M. are trademarks of Care of Sweden AB.
© Care of Sweden AB, 2015. All rights reserved. Last update: 02/06/15.

Mattress selector
- Guidelines when choosing a product
See how to choose the right mattress at:
www.careofsweden.com/mattress-selector

care of sweden
Supporting Life

Care of Sweden AB, Box 146, SE-514 23 Tranemo, Sweden
+46 (0)771 106 600 | info@careofsweden.se | www.careofsweden.com

CuroCell S.A.M.® CF16

Mattress replacement system with very high comfort

care of sweden
Supporting Life

CuroCell S.A.M.® CF16

CuroCell S.A.M.® CF16 is used as an aid in the prevention and treatment of pressure ulcers up to category 2[1], and for pain therapy. It is a static air mattress which provides very good comfort and pressure[2] relief. It is a mattress replacement system with an integrated foam core.

The mattress is made of very soft and durable materials. The included support pump is easy to use and very quiet. The mattress comes with CPR (rapid deflation of air) and has a built-in heel function.

Thanks to the extra soft inner cover, the already low pressure[3] is further reduced.

Care of Sweden's mattresses are supplied with a four way stretch hygienic outer cover which conforms to relevant standards for hygiene[4], quality and safety. All covers are manufactured from modern, recyclable materials and are vapour permeable[5], which reduce the risk of skin maceration.

Facts

Type: Static air mattress
Height: 16 cm
Function: Prevention and treatment up to and including category 2[1]
Recommended user weight: 0-200 kg
Fire: EN 597-1, -2
Power supply: 230 V/50 Hz
Warranty: 2 years
Cleaning of cover: Wipe with cleaning agent and/or disinfectants.
Machine wash max 95 °C, tumble drying.

Features and Characteristics

- CPR function – rapid deflation
- Easy to handle and maintain
- Extra soft inner cover
- Heel function
- Silent and energy-efficient pump
- Soft, elastic, vapour permeable[5] hygienic cover
- Unique labelling
- Very good cleaning properties

Sizes

80/85/90/105/120x200/210 cm.
If you need any other sizes please contact your distributor.

Optional

- Bag for the pump
- Durable bag for transportation and storage
- Hygiene cover with welded seams
- Transport function

References

(1) National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers: Quick Reference Guide. Emily Haesler (Ed.). Cambridge Media: Osborne Park, Western Australia; 2014.
(2) Examination of the shear force and the pressure relief capability, Berlincert 2009.
(3) Pressure readings with Xsensor, 2008.
(4) ISO 16603 "resistance of penetration by blood and body fluids", ISO 16604 "resistance of penetration by blood-borne pathogens", EN 14126, SS 876 00 19 "Health care textiles – Bacteria penetration – Wet".
(5) SS-EN ISO 15496:2004, DIN 53.122.

Always read the instruction for use prior to usage of the product.

Care of Sweden and CuroCell S.A.M. are trademarks of Care of Sweden AB.
© Care of Sweden AB, 2015. All rights reserved. Last update: 02/06/15.

Mattress selector
- Guidelines when choosing a product
See how to choose the right mattress at:
www.careofsweden.com/mattress-selector

care of sweden
Supporting Life

Care of Sweden AB, Box 146, SE-514 23 Tranemo, Sweden
+46 (0)771 106 600 | info@careofsweden.se | www.careofsweden.com

CuroCell S.A.M.® Switch CF16

Flexible mattress replacement system with very high comfort

care of sweden
Supporting Life

CuroCell S.A.M.® Switch CF16

CuroCell S.A.M.® Switch CF16 is used as an aid in the prevention and treatment of pressure ulcers up to category 2[1], and for pain therapy. It is a static air mattress which provides very good comfort and pressure[2] relief. It is a mattress replacement system with an integrated foam core. The mattress has a built-in heel function.

CuroCell S.A.M.® Switch CF16 has the added advantage that the pump can be used as a support pump only, making the mattress system both noiseless and vibration free.

The mattress is made of very soft and durable materials. The included support pump is easy to use and very quiet.

Thanks to the extra soft inner cover, the already low pressure[3] is further reduced.

Care of Sweden's mattresses are supplied with a four way stretch hygienic outer cover which conforms to relevant standards for hygiene[4], quality and safety. All covers are manufactured from modern, recyclable materials and are vapour permeable[5], which reduce the risk of skin maceration.

Facts

Type: Static air mattress
Height: 16 cm
Function: Prevention and treatment up to and including category 2[1]
Recommended user weight: 0-200 kg
Fire: EN 597-1, -2
Power supply: 230 V/50 Hz
Warranty: 2 years
Cleaning of cover: Wipe with cleaning agent and/or disinfectants.
Machine wash max 95 °C, tumble drying.

Features and Characteristics

- Can be used as a support pump only which makes the mattress system both noiseless and vibration free
- Easy to handle and maintain
- Extra soft inner cover
- Heel function
- Silent and energy-efficient pump
- Soft, elastic, vapour permeable[5] hygienic cover
- Unique labelling
- Very good cleaning properties

Sizes

80/85/90/105/120x200/210 cm.
If you need any other sizes please contact your distributor.

Optional

- Bag for the pump
- Durable bag for transportation and storage
- Hygiene cover with welded seams
- Transport function

References

(1) National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers: Quick Reference Guide. Emily Haesler (Ed.). Cambridge Media: Osborne Park, Western Australia; 2014.
(2) Examination of the shear force and the pressure relief capability, Berlincert 2009.
(3) Pressure readings with Xsensor, 2008.
(4) ISO 16603 "resistance of penetration by blood and body fluids", ISO 16604 "resistance of penetration by blood-borne pathogens", EN 14126, SS 876 00 19 "Health care textiles – Bacteria penetration – Wet".
(5) SS-EN ISO 15496:2004, DIN 53.122.

Always read the instruction for use prior to usage of the product.

Care of Sweden and CuroCell S.A.M. are trademarks of Care of Sweden AB.
© Care of Sweden AB, 2015. All rights reserved. Last update: 02/06/15.

Mattress selector
- Guidelines when choosing a product
See how to choose the right mattress at:
www.careofsweden.com/mattress-selector

care of sweden
Supporting Life

Care of Sweden AB, Box 146, SE-514 23 Tranemo, Sweden
+46 (0)771 106 600 | info@careofsweden.se | www.careofsweden.com

CuroCell® Nova

Simple & functional mattress overlay system

care of sweden
Supporting Life

CuroCell® Nova

The CuroCell® Nova is used as an aid in the prevention and treatment of pressure ulcers up to category 2[1]. It is a mattress overlay system that is



ideal for community and home care and is easy to handle and operate. The one-piece mattress has air cells of polyurethane and a built-in heel function.

Care of Sweden's mattresses are supplied with a four way stretch hygienic outer cover which conforms to relevant standards for hygiene[2], quality and safety. All covers are manufactured from modern, recyclable materials and are vapour permeable[3], which reduce the risk of skin maceration.

Facts

Type: Alternating pressure mattress
Height: 13 cm
Function: Prevention and treatment up to and including category 2[1]
Recommended user weight: 0-150 kg
Power supply: 230 V/50 Hz
Noise level of pump: 21 dBA
Warranty: 2 years
Cleaning of cover: Wipe with cleaning agent and/or disinfectants.
Machine wash max 95 °C, tumble drying.

Features and Characteristics

- Air cells of polyurethane
- CPR function – rapid deflation
- Elastic fastening band
- Heel function
- Silent and energy-efficient pump
- Soft, elastic, vapour permeable[3] hygienic cover
- Unique labelling
- User friendly
- Very good cleaning properties
- Zip fastener on three sides

Sizes

85x200 cm.

Optional

- Durable bag
- Hygienic cover with welded seams

References

(1) National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers: Quick Reference Guide. Emily Haesler (Ed.). Cambridge Media: Osborne Park, Western Australia; 2014.
(2) ISO 16603 "resistance of penetration by blood and body fluids", ISO 16604 "resistance of penetration by blood-borne pathogens", EN 14126, SS 876 00 19 "Health care textiles – Bacteria penetration – Wet".
(3) SS-EN ISO 15496:2004, DIN 53.122.

Always read the instruction for use prior to usage of the product.

Care of Sweden and CuroCell are trademarks of Care of Sweden AB.
© Care of Sweden AB, 2015. All rights reserved. Last update: 02/06/15.

Scan QR code to watch instructional video.

Mattress selector
- Guidelines when choosing a product
See how to choose the right mattress at:
www.careofsweden.com/mattress-selector

care of sweden
Supporting Life

Care of Sweden AB, Box 146, SE-514 23 Tranemo, Sweden
+46 (0)771 106 600 | info@careofsweden.se | www.careofsweden.com

CuroCell® Nova CX13

Dynamic pressure care mattress overlay system

care of sweden
Supporting Life

CuroCell® Nova CX13

The CuroCell® Nova CX13 is used as an aid in the prevention and treatment of pressure ulcers up to category 2[1] and is ideal for community and home care. It is a mattress overlay system that is easy to handle and operate.

The CuroCell® Nova CX13 uses the alternating pressure method and is available in several different models. It has replaceable polyurethane cells, which are housed in a separate inner cover.

Also available is CuroCell® Nova CX19, a mattress replacement system equipped with an integrated foam core.

Care of Sweden's mattresses are supplied with a four way stretch hygienic outer cover which conforms to relevant standards for hygiene[2], quality and safety. All covers are manufactured from modern, recyclable materials and are vapour permeable[3], which reduce the risk of skin maceration.

Facts

Type: Alternating pressure mattress
Height: 13 cm
Function: Prevention and treatment up to and including category 2[1]
Recommended user weight: 0-150 kg
Power supply: 230 V/50 Hz
Noise level of pump: 21 dBA
Warranty: 2 years
Cleaning of cover: Wipe with cleaning agent and/or disinfectants.
Machine wash max 95 °C, tumble drying.

Features and Characteristics

- CPR - Rapid deflation
- Easy handling and cleaning
- Replaceable cells in polyurethane
- Silent, energy-saving pump
- Soft, elastic, vapour permeable[3] hygienic cover
- Transport function

Sizes

80/85/90/105/120x200 cm and 80/85/90x210 cm.
If you need any other sizes please contact your distributor.

Optional

- Durable bag
- Heel function
- Hygienic cover with welded seams
- Ventilated cells (Low Air Loss)

References

(1) National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers: Quick Reference Guide. Emily Haesler (Ed.). Cambridge Media: Osborne Park, Western Australia; 2014.
(2) ISO 16603 "resistance of penetration by blood and body fluids", ISO 16604 "resistance of penetration by blood-borne pathogens", EN 14126, SS 876 00 19 "Health care textiles – Bacteria penetration – Wet".
(3) SS-EN ISO 15496:2004, DIN 53.122.

Always read the instruction for use prior to usage of the product.

Care of Sweden and CuroCell are trademarks of Care of Sweden AB.
© Care of Sweden AB, 2015. All rights reserved. Last update: 02/06/15.

Mattress selector
- Guidelines when choosing a product
See how to choose the right mattress at:
www.careofsweden.com/mattress-selector

care of sweden
Supporting Life

Care of Sweden AB, Box 146, SE-514 23 Tranemo, Sweden
+46 (0)771 106 600 | info@careofsweden.se | www.careofsweden.com

CuroCell® Nova CX19

Dynamic pressure care mattress replacement system

care of sweden
Supporting Life

CuroCell® Nova CX19

CuroCell® Nova CX19 is used as an aid in the prevention and treatment of pressure ulcers up to category 2[1]. It is used in all types of healthcare environments and is a mattress replacement system that is very easy to handle and operate.

CuroCell® Nova CX19 works according to the alternating pressure principle and are available in several different versions. It has replaceable cells in polyurethane which are placed in a separate inner cover and is equipped with an integrated foam core.

Care of Sweden's mattresses are supplied with a four way stretch hygienic outer cover which conforms to relevant standards for hygiene[2], quality and safety. All covers are manufactured from modern, recyclable materials and are vapour permeable[3], which reduce the risk of skin maceration.

Facts

Type: Alternating pressure mattress
Height: 19 cm
Function: Prevention and treatment up to and including category 2[1]
Recommended user weight: 0-150 kg
Fire: EN 597-1, -2
Power supply: 230 V/50 Hz
Noise level of pump: 21 dBA
Warranty: 2 years
Cleaning of cover: Wipe with cleaning agent and/or disinfectants.
Machine wash max 95 °C, tumble drying.

Features and Characteristics

- CPR - Rapid deflation
- Easy handling and cleaning
- Heel function
- Replaceable cells in polyurethane
- Silent, energy-saving pump
- Soft, elastic, vapour permeable[3] hygienic cover
- Transport function

Sizes

80/85/90/105/120x200 cm and 80/85/90x210 cm.
If you need any other sizes please contact your distributor.

Optional

- Cable holder
- Comfort fabric
- Durable bag
- Hygienic cover with welded seams
- Sheet holder
- Ventilated cells (Low Air Loss)

References

(1) National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers: Quick Reference Guide. Emily Haesler (Ed.). Cambridge Media: Osborne Park, Western Australia; 2014.
(2) ISO 16603 "resistance of penetration by blood and body fluids", ISO 16604 "resistance of penetration by blood-borne pathogens", EN 14126, SS 876 00 19 "Health care textiles – Bacteria penetration – Wet".
(3) SS-EN ISO 15496:2004, DIN 53.122.

Always read the instruction for use prior to usage of the product.

Care of Sweden and CuroCell are trademarks of Care of Sweden AB.
© Care of Sweden AB, 2015. All rights reserved. Last update: 02/06/15.

Mattress selector
- Guidelines when choosing a product
See how to choose the right mattress at:
www.careofsweden.com/mattress-selector

care of sweden
Supporting Life

Care of Sweden AB, Box 146, SE-514 23 Tranemo, Sweden
+46 (0)771 106 600 | info@careofsweden.se | www.careofsweden.com

CuroCell® 3

Effective & functional mattress overlay system

care of sweden
Supporting Life

CuroCell® 3

The CuroCell® 3 is used as an aid in the prevention and treatment of pressure ulcers up to category 3[1]. It is used in all types of healthcare environments and is a very functional and cost-effective mattress overlay system and can be equipped with an integrated foam core to be placed directly on the bed.

Care of Sweden's mattresses are supplied with a four way stretch hygienic outer cover which conforms to relevant standards for hygiene[2], quality and safety. All covers are manufactured from modern, recyclable materials and are vapour permeable[3], which reduce the risk of skin maceration.

Facts

Type: Alternating pressure mattress
Height: 13 cm
Function: Prevention and treatment up to and including category 3[1]
Recommended user weight: 0-160 kg
Power supply: 230 V/50 Hz
Noise level of pump: 21 dBA
Warranty: 2 years
Cleaning of cover: Wipe with cleaning agent and/or disinfectants.
Machine wash max 95 °C, tumble drying.

Features and Characteristics

- CPR function – rapid deflation
- Digital pump with built-in sensor
- Easy handling
- Handle for transport and moving
- Replaceable air cells of polyurethane
- Silent and energy-saving pump
- Soft, elastic, vapour permeable[3] hygienic cover
- Sound and light alarm for low pressure
- Static function with automatic return
- Transport function
- Very good cleaning properties

Sizes

80/85/90x200 cm.
If you need any other sizes please contact your distributor.

Optional

- Cable holder
- Comfort fabric
- Durable bag
- Heel function
- Hygienic cover with welded seams
- Low friction cover
- Ventilated cells (Low Air Loss)

References

(1) National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers: Quick Reference Guide. Emily Haesler (Ed.). Cambridge Media: Osborne Park, Western Australia; 2014.
(2) ISO 16603 "resistance of penetration by blood and body fluids", ISO 16604 "resistance of penetration by blood-borne pathogens", EN 14126, SS 876 00 19 "Health care textiles – Bacteria penetration – Wet".
(3) SS-EN ISO 15496:2004, DIN 53.122.

Always read the instruction for use prior to usage of the product.

Care of Sweden and CuroCell are trademarks of Care of Sweden AB.
© Care of Sweden AB, 2015. All rights reserved. Last update: 02/06/15.

Scan QR code to watch instructional video.

Mattress selector
- Guidelines when choosing a product
See how to choose the right mattress at:
www.careofsweden.com/mattress-selector

care of sweden
Supporting Life

Care of Sweden AB, Box 146, SE-514 23 Tranemo, Sweden
+46 (0)771 106 600 | info@careofsweden.se | www.careofsweden.com

CuroCell® 3 CX13

Effective & flexible mattress overlay system

care of sweden
Supporting Life

CuroCell® 3 CX13

CuroCell® 3 CX13 is used as an aid in the prevention and treatment of pressure ulcers up to category 3[1]. It is used in all types of healthcare environments and is a very effective and functional mattress overlay system.

CuroCell® 3 CX13 works according to the alternating pressure principle and has replaceable cells in polyurethane which are placed in a separate inner cover.

Also available is CuroCell 3 CX19, a mattress replacement system equipped with an integrated foam core.

Care of Sweden's mattresses are supplied with a four way stretch hygienic outer cover which conforms to relevant standards for hygiene[2], quality and safety. All covers are manufactured from modern, recyclable materials and are vapour permeable[3], which reduce the risk of skin maceration.

Facts

Type: Alternating pressure mattress
Height: 13 cm
Function: Prevention and treatment up to and including category 3[1]
Recommended user weight: 0-160 kg
Power supply: 230 V/50 Hz
Noise level of pump: 21 dBA
Warranty: 2 years
Cleaning of cover: Wipe with cleaning agent and/or disinfectants.
Machine wash max 95 °C, tumble drying.

Features and Characteristics

- CPR function – rapid deflation
- Digital pump with built-in sensor
- Replaceable air cells of polyurethane
- Silent and energy-saving pump
- Soft, elastic, vapour permeable[3] hygienic cover
- Sound and light alarm for low pressure
- Static function with automatic return
- Transport function
- Very good cleaning properties

Sizes

80/85/90/105/120x200 cm and 80/85/90x210 cm.
If you need any other sizes please contact your distributor.

Optional

- Durable bag
- Heel function
- Hygienic cover with welded seams
- Ventilated cells (Low Air Loss)

References

(1) National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers: Quick Reference Guide. Emily Haesler (Ed.). Cambridge Media: Osborne Park, Western Australia; 2014.
(2) ISO 16603 "resistance of penetration by blood and body fluids", ISO 16604 "resistance of penetration by blood-borne pathogens", EN 14126, SS 876 00 19 "Health care textiles – Bacteria penetration – Wet".
(3) SS-EN ISO 15496:2004, DIN 53.122.

Always read the instruction for use prior to usage of the product.

Care of Sweden and CuroCell are trademarks of Care of Sweden AB.
© Care of Sweden AB, 2015. All rights reserved. Last update: 02/06/15.

Mattress selector
- Guidelines when choosing a product
See how to choose the right mattress at:
www.careofsweden.com/mattress-selector

care of sweden
Supporting Life

Care of Sweden AB, Box 146, SE-514 23 Tranemo, Sweden
+46 (0)771 106 600 | info@careofsweden.se | www.careofsweden.com

CuroCell® 3 CX19

Effective & flexible mattress replacement system

care of sweden
Supporting Life

CuroCell® 3 CX19

CuroCell® 3 CX19 is used as an aid in the prevention and treatment of pressure ulcers up to category 3(1). It is used in all types of healthcare environments and is a very effective and functional mattress replacement system equipped with an integrated foam core.

CuroCell® 3 CX19 works according to the alternating pressure principle and are available in several different versions. It has replaceable cells in polyurethane which are placed in a separate inner cover.

Care of Sweden's mattresses are supplied with a four way stretch hygienic outer cover which conforms to relevant standards for hygiene(2), quality and safety. All covers are manufactured from modern, recyclable materials and are vapour permeable(3), which reduce the risk of skin maceration.

Facts

Type: Alternating pressure mattress
Height: 19 cm
Function: Prevention and treatment up to and including category 3(1)
Recommended user weight: 0-160 kg
Fire: EN 597-1, -2
Power supply: 230 V/50 Hz
Noise level of pump: 21 dBA
Warranty: 2 years
Cleaning of cover: Wipe with cleaning agent and/or disinfectants.
Machine wash max 95 °C, tumble drying.

Features and Characteristics

- CPR function – rapid deflation
- Digital pump with built-in sensor
- Heel function
- Replaceable air cells of polyurethane
- Silent and energy-saving pump
- Soft, elastic, vapour permeable(3) hygienic cover
- Sound and light alarm for low pressure
- Static function with automatic return
- Transport function
- Very good cleaning properties

Sizes

80/85/90/105/120x200 cm and 80/85/90x210 cm.
If you need any other sizes please contact your distributor.

Optional

- Cable holder
- Comfort fabric
- Durable bag
- Hygienic cover with welded seams
- Sheet holder
- Ventilated cells (Low Air Loss)

References

(1) National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers: Quick Reference Guide. Emily Haesler (Ed.). Cambridge Media: Osborne Park, Western Australia; 2014.
(2) ISO 16603 "resistance of penetration by blood and body fluids", ISO 16604 "resistance of penetration by blood-borne pathogens", EN 14126, SS 876 00 19 "Health care textiles – Bacteria penetration – Wet".
(3) SS-EN ISO 15496:2004, DIN 53.122.

Always read the instruction for use prior to usage of the product.

Care of Sweden and CuroCell are trademarks of Care of Sweden AB.
© Care of Sweden AB, 2015. All rights reserved. Last update: 02/06/15.

Mattress selector
- Guidelines when choosing a product
See how to choose the right mattress at:
www.careofsweden.com/mattress-selector

care of sweden
Supporting Life

Care of Sweden AB, Box 146, SE-514 23 Tranemo, Sweden
+46 (0)771 106 600 | info@careofsweden.se | www.careofsweden.com

CuroCell® 4

Effective alternating pressure mattress system with high comfort

care of sweden
Supporting Life

CuroCell® 4

The CuroCell® 4 is used as an aid in the prevention and treatment of pressure ulcers up to and including category 4[1]. It is ideal for all healthcare environments and a highly functional[2], comfortable, cost-effective mattress replacement system.

Care of Sweden's mattresses are supplied with a four way stretch hygienic outer cover which conforms to relevant standards for hygiene[3], quality and safety. All covers are manufactured from modern, recyclable materials and are vapour permeable[4], which reduce the risk of skin maceration.

Facts

Type: Alternating pressure mattress
Height: 21 cm
Function: Prevention and treatment up to and including category 4[1]
Recommended user weight: 0-200 kg
Power supply: 230 V/50 Hz
Noise level of pump: 21 dBA
Warranty: 2 years
Cleaning of cover: Wipe with cleaning agent and/or disinfectants.
Machine wash max 95 °C, tumble drying.



Features and Characteristics

- CPR function – rapid deflation
- Digital pump with built-in sensor
- Easy handling
- Handle for transport and moving
- Replaceable air cells of polyurethane with Cell-in-Cell system
- Silent and energy-saving pump
- Soft, elastic, vapour permeable[4] hygienic cover
- Sound and light alarm for low pressure
- Static function with automatic return
- Transport function
- Very good cleaning properties

Sizes

80/85/90/105/120x200 cm and 80/85/90x210 cm.
If you need any other sizes please contact your distributor.

Optional

- Cable holder
- Comfort fabric
- Durable bag
- Heel function
- Hygienic cover with welded seams
- Low friction cover
- Sheet holder
- Ventilated cells (Low Air Loss)

References

(1) National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers: Quick Reference Guide. Emily Haesler (Ed.). Cambridge Media: Osborne Park, Western Australia; 2014.
(2) Examination of the shear force and the pressure relief capability, Berlincert 2009.
(3) ISO 16603 "resistance of penetration by blood and body fluids", ISO 16604 "resistance of penetration by blood-borne pathogens", EN 14126, SS 876 00 19 "Health care textiles – Bacteria penetration – Wet".
(4) SS-EN ISO 15496:2004, DIN 53.122.

Always read the instruction for use prior to usage of the product.

Care of Sweden and CuroCell are trademarks of Care of Sweden AB.
© Care of Sweden AB, 2015. All rights reserved. Last update: 02/06/15.

Scan QR code to watch instructional video.

Mattress selector
- Guidelines when choosing a product
See how to choose the right mattress at:
www.careofsweden.com/mattress-selector

care of sweden
Supporting Life

Care of Sweden AB, Box 146, SE-514 23 Tranemo, Sweden
+46 (0)771 106 600 | info@careofsweden.se | www.careofsweden.com

CuroCell® 4 AD

Comfortable, alternating pressure mattress system with automatic pump

care of sweden
Supporting Life

CuroCell® 4 AD

The CuroCell® 4 AD is used as an aid in the prevention and treatment of pressure ulcers up to and including category 4[1]. It's a highly functional, comfortable, cost-effective mattress replacement system and is ideal for all healthcare environments.

The optional heel function offers an even better protection by relieving pressure on the heels.



Care of Sweden's mattresses are supplied with a four way stretch hygienic outer cover which conforms to relevant standards for hygiene[2], quality and safety. All covers are manufactured from modern, recyclable materials and are vapour permeable[3], which reduce the risk of skin maceration.

Facts

Type: Alternating pressure mattress
Height: 21 cm
Function: Prevention and treatment up to and including category 4[1]
Recommended user weight: 0-200 kg
Power supply: 230 V/50 Hz
Noise level of pump: 21 dBA
Warranty: 2 years
Cleaning of cover: Wipe with cleaning agent and/or disinfectants.
Machine wash max 95 °C, tumble drying.



Features and Characteristics

- CPR function – rapid deflation
- Digital pump with built-in sensor
- Easy handling
- Handle for transport and moving
- Replaceable air cells of polyurethane with Cell-in-Cell system
- Silent and energy-saving pump
- Soft, elastic, vapour permeable[3] hygienic cover
- Sound and light alarm for low pressure
- Sound and light alarm for power failure
- Static function with automatic return
- Transport function
- Very good cleaning properties

Sizes

80/85/90/105/120x200 cm and 80/85/90x210 cm.
If you need any other sizes please contact your distributor.

Optional

- Cable holder
- Comfort fabric
- Durable bag
- Heel function
- Hygienic cover with welded seams
- Low friction cover
- Sheet holder
- Ventilated cells (Low Air Loss)

References

(1) National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers: Quick Reference Guide. Emily Haesler (Ed.). Cambridge Media: Osborne Park, Western Australia; 2014.
(2) ISO 16603 "resistance of penetration by blood and body fluids", ISO 16604 "resistance of penetration by blood-borne pathogens", EN 14126, SS 876 00 19 "Health care textiles – Bacteria penetration – Wet".
(3) SS-EN ISO 15496:2004, DIN 53.122.

Always read the instruction for use prior to usage of the product.

Care of Sweden and CuroCell are trademarks of Care of Sweden AB.
© Care of Sweden AB, 2015. All rights reserved. Last update: 02/06/15.

Mattress selector
- Guidelines when choosing a product
See how to choose the right mattress at:
www.careofsweden.com/mattress-selector

care of sweden
Supporting Life

Care of Sweden AB, Box 146, SE-514 23 Tranemo, Sweden
+46 (0)771 106 600 | info@careofsweden.se | www.careofsweden.com

CuroCell® AUTO4

Functional combi mattress with automatic pump

care of sweden
Supporting Life

CuroCell® AUTO4

CuroCell® AUTO4 is used preventively and as an aid in the treatment of pressure ulcers up to category 4[1]. It can be used in all types of medical environments and is a highly-functional and cost-effective combi mattress that is placed directly on the bed base.

CuroCell® AUTO4 can be used with alternating pressure or static low pressure. The pump, which is easily maintained and managed, is also equipped with an automatic function that adjusts the mattress to the user's weight, posture and position.

The mattress has replaceable cells that are fitted inside a separate inner cover with an integrated foam insert. It is supplied with an elastic and flexible hygiene cover that is vapour permeable[2], which reduces the risk of skin maceration. A durable protector that is easy to clean and has a very well-documented standard of hygiene[3].

CuroCell® AUTO4 is made from modern, recyclable materials and meets health care service requirements for hygiene, quality and safety.

Facts

Type: Alternating pressure mattress
Height: 19 cm
Function: Prevention and treatment up to category 4[1]
Recommended user weight: 0-180 kg
Fire: EN 597-1, -2
Power supply: 230 V/50 Hz
Sound level, pump: 21 dBA
Warranty: 2 years
Cleaning covers: Wipe clean with detergent and/or disinfectant. Machine wash max. 95°C, tumble dry.

Functions and properties

- CPR function – rapid deflation in case of CPR
- Digital pump with self-adjusting technology
- Easy to use
- Handles for transport and moving
- Heel function
- Audio/visual low pressure alarm
- Audio/visual power loss alarm
- Soft, elastic hygiene cover that is vapour permeable[2]
- Static function with automatic return
- Transport function
- Quiet and energy-efficient pump
- Replaceable polyurethane air cells

Sizes

80/85/90/105/120x200 cm and 80/85/90x210 cm. If other sizes are required, please contact Care of Sweden.

Options

- Mesh fabric – for additional comfort
- Hygiene cover with welded seams
- Cable holder
- Sturdy transport bag
- Sheet holder
- Low friction cover

References

(1) National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers: Quick Reference Guide. Emily Haesler (Ed.). Cambridge Media: Osborne Park, Western Australia; 2014.
(2) SS-EN ISO 15496:2004, DIN 53.122.
(3) ISO 16603 "resistance to penetration by blood and body fluids", ISO 16604 "resistance to penetration by blood-borne pathogens", EN 14126, SS 876 00 19 "Health care textiles – Bacteria penetration – Wet".

Read the user manual prior to using the product.

Care of Sweden and CuroCell are registered trademarks of Care of Sweden AB.
© Care of Sweden AB, 2015. All rights reserved. Last updated: 23/10/2015.

Mattress selector
– Guidelines for selecting a product
Read about how to choose the right mattress at:
www.careofsweden.com/mattress-selector

care of sweden
Supporting Life

Care of Sweden AB, Box 146, SE-514 23 Tranemo, Sweden
+46 (0)771 106 600 | info@careofsweden.se | www.careofsweden.com

CuroCell® AUTO4 CX13

Effective and functional mattress overlay

care of sweden
Supporting Life

CuroCell® AUTO4 CX13

CuroCell® AUTO4 CX13 is used preventively and as an aid in the treatment of pressure ulcers up to category 4[1]. It can be used in all types of medical environments and is a highly-functional and cost-effective mattress system.

CuroCell® AUTO4 CX13 can be used with alternating pressure or static low pressure. The pump, which is easily maintained and managed, is also equipped with an automatic function that adjusts the mattress to the user's weight, posture and position.

The mattress has replaceable cells that are fitted inside a separate inner cover. It is supplied with an elastic and flexible hygiene cover that is vapour permeable[2], which reduces the risk of skin maceration. A durable protector that is easy to clean and has a very well-documented standard of hygiene[3].

CuroCell® AUTO4 CX13 is made from modern, recyclable materials and meets health care service requirements for hygiene, quality and safety.

Facts

Type: Alternating pressure mattress
Height: 13 cm
Function: Prevention and treatment up to category 4[1]
Recommended user weight: 0-180 kg
Fire: EN 597-1, -2
Power supply: 230 V/50 Hz
Sound level, pump: 21 dBA
Warranty: 2 years
Cleaning covers: Wipe clean with detergent and/or disinfectant. Machine wash max. 95°C, tumble dry.

Functions and properties

- CPR function – rapid deflation in case of CPR
- Digital pump with self-adjusting technology
- Easy to use
- Handles for transport and moving
- Heel function
- Audio/visual low pressure alarm
- Audio/visual power loss alarm
- Soft, elastic hygiene cover that is vapour permeable[2]
- Static function with automatic return
- Transport function
- Quiet and energy-efficient pump
- Replaceable polyurethane air cells

Sizes

80/85/90/105/120x200 cm and 80/85/90x210 cm. If other sizes are required, please contact Care of Sweden.

Options

- Mesh fabric – for additional comfort
- Hygiene cover with welded seams
- Cable holder
- Sturdy transport bag
- Sheet holder
- Low friction cover

References

(1) National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers: Quick Reference Guide. Emily Haesler (Ed.). Cambridge Media: Osborne Park, Western Australia; 2014.
(2) SS-EN ISO 15496:2004, DIN 53.122.
(3) ISO 16603 "resistance to penetration by blood and body fluids", ISO 16604 "resistance to penetration by blood-borne pathogens", EN 14126, SS 876 00 19 "Health care textiles – Bacteria penetration – Wet".

Read the user manual prior to using the product.

Care of Sweden and CuroCell are registered trademarks of Care of Sweden AB.
© Care of Sweden AB, 2015. All rights reserved. Last updated: 26/11/2015.

Mattress selector
– Guidelines for selecting a product
Read about how to choose the right mattress at:
www.careofsweden.com/mattress-selector

care of sweden
Supporting Life

Care of Sweden AB, Box 146, SE-514 23 Tranemo, Sweden
+46 (0)771 106 600 | info@careofsweden.se | www.careofsweden.com

CuroCell® AUTO420

Self-adjusting mattress system with high usability

care of sweden
Supporting Life

CuroCell® AUTO420

CuroCell® AUTO420 is used preventively and as an aid in the treatment of pressure ulcers up to category 4[1]. It can be used in all types of medical environments and is a highly-functional and cost-effective combi mattress that is placed directly on the bed base.

CuroCell® AUTO420 simplifies handling compared to traditional mattress systems. The pump's self-adjusting technology enables the system to adjust automatically to the user's weight, posture and position. The mattress can be used with alternating pressure or static low pressure.

It has replaceable cells that are fitted inside a separate inner cover, which makes the mattress easy to handle when cleaning, for example.

The mattress is supplied with an elastic and flexible hygiene cover that is vapour permeable[2], which reduces the risk of skin maceration. A durable protector that is easy to clean and has a very well-documented standard of hygiene[3].

CuroCell® AUTO420 is made from modern, recyclable materials and meets health care service requirements for hygiene, quality and safety.

Facts

Type: Alternating pressure mattress
Height: 20 cm
Function: Prevention and treatment up to category 4[1]
Recommended user weight: 0-250 kg
Fire: EN 597-1, -2
Power supply: 230 V/50 Hz
Sound level, pump: 21 dBA
Warranty: 2 years
Cleaning covers: Wipe clean with detergent and/or disinfectant. Machine wash max. 95°C, tumble dry.

Functions and properties

- CPR function – rapid deflation in case of CPR
- Digital pump with self-adjusting technology
- Easy to use
- Handles for transport and moving
- Heel function
- Audio/visual low pressure alarm
- Audio/visual power loss alarm
- Soft, elastic hygiene cover that is vapour permeable[2]
- Static function with automatic return
- Transport function
- Quiet and energy-efficient pump
- Replaceable polyurethane air cells

Sizes

80/85/90/105/120x200 cm and 80/85/90x210 cm. If other sizes are required, please contact Care of Sweden.

Options

- Mesh fabric – for additional comfort
- Hygiene cover with welded seams
- Cable holder
- Sturdy transport bag
- Sheet holder
- Low friction cover

References

(1) National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers: Quick Reference Guide. Emily Haesler (Ed.). Cambridge Media: Osborne Park, Western Australia; 2014.
(2) SS-EN ISO 15496:2004, DIN 53.122.
(3) ISO 16603 "resistance to penetration by blood and body fluids", ISO 16604 "resistance to penetration by blood-borne pathogens", EN 14126, SS 876 00 19 "Health care textiles – Bacteria penetration – Wet".

Read the user manual prior to using the product.

Care of Sweden and CuroCell are registered trademarks of Care of Sweden AB.
© Care of Sweden AB, 2015. All rights reserved. Last updated: 23/10/2015.

Mattress selector
– Guidelines for selecting a product
Read about how to choose the right mattress at:
www.careofsweden.com/mattress-selector

care of sweden
Supporting Life

Care of Sweden AB, Box 146, SE-514 23 Tranemo, Sweden
+46 (0)771 106 600 | info@careofsweden.se | www.careofsweden.com

CuroCell Cirrus® 2.0

Pain therapy pressure care system

care of sweden
Supporting Life

CuroCell Cirrus® 2.0

CuroCell Cirrus® 2.0 is used as an aid in the prevention and treatment of pressure ulcers up to category 4 (0-180 kg) and category 2 (181-230 kg)(1), and for pain therapy. It is a replacement system ideal for all healthcare environments.

CuroCell Cirrus® 2.0 combines air with a soft foam surface and provides high user comfort and pressure redistribution(2). The unique wave like alternating process is particularly suitable for pain therapy. The added heel function offers an even better protection by relieving pressure on the heels.

The silent and easy to use CuroCell Cirrus® pump with four different settings; alternating, static, alternating + seat inflation and static + seat inflation make this mattress very functional for all patient groups.

In addition the dual cover system reduces the shearing effect when adjusting the bed.

CE

Care of Sweden's mattresses are supplied with a four way stretch hygienic outer cover which conforms to relevant standards for hygiene(3), quality and safety. All covers are manufactured from modern, recyclable materials and are vapour permeable(4), which reduce the risk of skin maceration.

Facts

Type: Alternating pressure mattress
Height: 21 cm
Function: Prevention and treatment up to and including category 4(1)
Recommended user weight: 0-180 kg (cat. 4) & 180-230 kg (cat. 2)
Fire: EN 597-1, -2
Power supply: 230 V/50 Hz
Noise level of pump: 27 dBA
Warranty: 2 years
Cleaning of cover: Wipe with cleaning agent and/or disinfectants.
Machine wash max 95 °C, tumble drying.



Features and Characteristics

- Alternating pressure on soft foam surface
- Cabel holder
- Digital and easy to use pump
- Easy handling and cleaning
- Heel slope, for pressure relief of heels
- Hygienic cover with welded seams
- Rapid deflation of the mattress
- Silent and energy-saving pump
- Soft, elastic, vapour permeable(4) hygienic cover
- Sound and light alarm for low pressure
- Sound and light alarm for power failure
- Static function with automatic return
- Transport function

Sizes

80/85/90/105/120x200 cm and 80/85/90x210 cm.
If you need any other sizes please contact your distributor.

Optional

- Durable bag
- Low friction cover

References

(1) National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers: Quick Reference Guide. Emily Haesler (Ed.). Cambridge Media: Osborne Park, Western Australia; 2014.
(2) Examination of the shear force and the pressure relief capability, Berlincert 2009.
(3) ISO 16603 "resistance of penetration by blood and body fluids", ISO 16604 "resistance of penetration by blood-borne pathogens", EN 14126, SS 876 00 19 "Health care textiles – Bacteria penetration – Wet".
(4) SS-EN ISO 15496.

Always read the instruction for use prior to usage of the product.

Care of Sweden and CuroCell Cirrus are trademarks of Care of Sweden AB.
© Care of Sweden AB, 2015. All rights reserved. Last update: 23/06/15.

Scan QR code to watch presentation video.

Scan QR code to watch instructional video.

Mattress selector
- Guidelines when choosing a product
See how to choose the right mattress at:
www.careofsweden.com/mattress-selector

care of sweden
Supporting Life

Care of Sweden AB, Box 146, SE-514 23 Tranemo, Sweden
+46 (0)771 106 600 | info@careofsweden.se | www.careofsweden.com

CuroCell® NEO CX13

Effective & functional mattress overlay

care of sweden
Supporting Life

CuroCell® NEO CX13

CuroCell® NEO CX13 is used as an aid in the prevention and treatment of pressure ulcers up to and including category 4[1]. It is used in all types of healthcare environments and is a very effective and functional mattress overlay system.

CuroCell® NEO CX13 works according to the alternating pressure principle and has replaceable cells in polyurethane which are placed in a separate inner cover. This mattress system is very easy to use and handle.

Also available is CuroCell® NEO CX19, a mattress replacement system equipped with an integrated foam core.

Care of Sweden's mattresses are supplied with a four way stretch hygienic outer cover which conforms to relevant standards for hygiene[2], quality and safety. All covers are manufactured from modern, recyclable materials and are vapour permeable[3], which reduce the risk of skin maceration.

Facts

Type: Alternating mattress overlay
Height: 13 cm
Function: Prevention and treatment up to and including category 4[1]
Recommended user weight: 0-160 kg
Power supply: 230 V/50 Hz
Noise level of pump: 27 dBA
Warranty: 2 years
Cleaning of cover: Wipe with cleaning agent and/or disinfectants.
Machine wash max 95 °C, tumble drying.

Features and Characteristics

- CPR function – rapid deflation
- Digital pump with built-in sensor
- Easy handling
- Replaceable air cells of polyurethane
- Silent and energy-saving pump
- Soft, elastic, vapour permeable[3] hygienic cover
- Sound and light alarm for low pressure
- Sound and light alarm for power failure
- Static function with automatic return
- Transport function
- Very good cleaning properties

Sizes

80/85/90/105/120x200 cm and 80/85/90x210 cm.
If you need any other sizes please contact your distributor.

Optional

- Durable bag
- Heel function
- Welded covers

References

(1) National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers: Quick Reference Guide. Emily Haesler (Ed.). Cambridge Media: Osborne Park, Western Australia; 2014.(2) ISO 16603 "resistance of penetration by blood and body fluids", ISO 16604 "resistance of penetration by blood-borne pathogens", EN 14126, SS 876 00 19 "Health care textiles – Bacteria penetration – Wet".
(3) SS-EN ISO 15496:2004, DIN 53.122.

Always read the instruction for use prior to usage of the product.

Care of Sweden and CuroCell are trademarks of Care of Sweden AB.
© Care of Sweden AB, 2015. All rights reserved. Last update: 03/06/15.

Mattress selector
- Guidelines when choosing a product
See how to choose the right mattress at:
www.careofsweden.com/mattress-selector

care of sweden
Supporting Life

Care of Sweden AB, Box 146, SE-514 23 Tranemo, Sweden
+46 (0)771 106 600 | info@careofsweden.se | www.careofsweden.com

CuroCell® NEO CX19

Effective & functional mattress replacement system

care of sweden
Supporting Life

CuroCell® NEO CX19

CuroCell® NEO CX19 is used as an aid in the prevention and treatment of pressure ulcers up to and including category 4[1]. It is used in all types of healthcare environments and is a very effective and functional mattress replacement system.

CuroCell® NEO CX19 works according to the alternating pressure principle and are available in several different versions. It has replaceable cells in polyurethane which are placed in a separate inner cover and is equipped with an integrated foam core.

Care of Sweden's mattresses are supplied with a four way stretch hygienic outer cover which conforms to relevant standards for hygiene[2], quality and safety. All covers are manufactured from modern, recyclable materials and are vapour permeable[3], which reduce the risk of skin maceration.

Facts

Type: Alternating pressure mattress
Height: 19 cm
Function: Prevention and treatment up to and including category 4[1]
Recommended user weight: 0-160 kg
Power supply: 230 V/50 Hz
Noise level of pump: 27 dBA
Warranty: 2 years
Cleaning of cover: Wipe with cleaning agent and/or disinfectants.
Machine wash max 95 °C, tumble drying.



Features and Characteristics

- CPR function – rapid deflation
- Digital pump with built-in sensor
- Easy handling
- Replaceable air cells of polyurethane
- Silent and energy-saving pump
- Soft, elastic, vapour permeable[3] hygienic cover
- Sound and light alarm for low pressure
- Sound and light alarm for power failure
- Static function with automatic return
- Transport function
- Very good cleaning properties

Sizes

80/85/90/105/120x200 cm and 80/85/90x210 cm.
If you need any other sizes please contact your distributor.

Optional

- Durable bag
- Heel function
- Welded covers

References

(1) National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers: Quick Reference Guide. Emily Haesler (Ed.). Cambridge Media: Osborne Park, Western Australia; 2014.
(2) ISO 16603 "resistance of penetration by blood and body fluids", ISO 16604 "resistance of penetration by blood-borne pathogens", EN 14126, SS 876 00 19 "Health care textiles – Bacteria penetration – Wet".
(3) SS-EN ISO 15496:2004, DIN 53.122.

Always read the instruction for use prior to usage of the product.

Care of Sweden and CuroCell are trademarks of Care of Sweden AB.
© Care of Sweden AB, 2015. All rights reserved. Last update: 03/06/15.

Mattress selector
- Guidelines when choosing a product
See how to choose the right mattress at:
www.careofsweden.com/mattress-selector

care of sweden
Supporting Life

Care of Sweden AB, Box 146, SE-514 23 Tranemo, Sweden
+46 (0)771 106 600 | info@careofsweden.se | www.careofsweden.com

CuroCell UNO®

A new generation of fully automated alternating pressure mattress replacement systems

care of sweden
Supporting Life

CuroCell UNO®

The CuroCell UNO® is used as an aid in the prevention and treatment of pressure ulcers up to and including category 4[1]. It stands for innovation and modern design and together with quality engineering it lays the foundation for our new generation of fully automated premium mattress systems.

It is equipped with a large touch screen panel with a user-friendly interface. The fully automated pump offers automatic adjustment, providing optimal pressure relief and comfort for each individual user while aiding simple use.

Care of Sweden's mattresses are supplied with a four way stretch hygienic outer cover which conforms to relevant standards for hygiene[3], quality and safety. All covers are manufactured from modern, recyclable materials and are vapour permeable[4], which reduce the risk of skin maceration.

Facts

Type: Alternating pressure mattress replacement system
Height: 20 cm
Function: Prevention and treatment up to and including category 4[1]
Recommended user weight: 0-250 kg
Sound level, pump, max.: 20 dBA[2]
Warranty: 2 years
Cleaning of cover: Wipe with cleaning agent and/or disinfectants
Machine wash max 95 °C, tumble drying

Features Pump

- Fully automated pump that adapts individually
- Large colour touch display with user-friendly interface
- 3 modes: Alternating, Pulsating and Static
- Pack&Go™ function
- Silent running and vibration free
- Battery backup (optional)
- Soft friction hangers with extra soft tip
- Notification function for loss of air and or electricity supply

Features Mattress

- Cell on Cell construction with safety mattress
- Heel Function
- Static head cells
- CPR-function for rapid deflation
- Smart cable management
- PVC free
- Unique design for easy handling and usage
- Chlorine resistant (10 %) multi stretch cover with welded seams
- Well protected zipper

Sizes

80/85/90/105/120 x 200/210/220 x 20 cm
If you need any other sizes please contact your distributor

Optional

- Durable bag
- Sheet holder

References

(1) National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers: Quick Reference Guide. Emily Haesler (Ed.). Cambridge Media: Osborne Park, Western Australia; 2014.
(2): "EN ISO 11201 Acoustics - Noise emitted by machinery and equipment - Determination of emission sound pressure levels", SP 2015.
(3) ISO 16603 "resistance of penetration by blood and body fluids", ISO 16604 "resistance of penetration by blood-borne pathogens", EN 14126, SS 876 00 19 "Health care textiles – Bacteria penetration – Wet".
(4) SS-EN ISO 15496:2004, DIN 53.122.

Always read the instruction for use prior to usage of the product.

Care of Sweden and CuroCell UNO are trademarks of Care of Sweden AB.
© Care of Sweden AB, 2015. All rights reserved. Last update: 26/08/15.

Scan QR code to watch presentation video.

Mattress selector
- Guidelines when choosing a product
See how to choose the right mattress at:
www.careofsweden.com/mattress-selector

care of sweden
Supporting Life

Care of Sweden AB, Box 146, SE-514 23 Tranemo, Sweden
+46 (0)771 106 600 | info@careofsweden.se | www.careofsweden.com

Own notes

Own notes

We are Care of Sweden. Since 1992, we help healthcare to better take care of people who require physical supports, for example to prevent pressure ulcers in rehabilitation or long term care. You'll find us on care units in all parts of the world.

The products range spans from advanced air mattress systems to seat cushions for wheelchairs. We manufacture ourselves at our facility in Sweden, where everything is done according to high quality standards and with minimal environmental impact. But most importantly is our commitment and our desire to be always available.

Our customers see us as part of the care team, where we are working side by side, for no one ever should have to suffer from pressure ulcers. Together, we can reduce unnecessary suffering and save financial resources to healthcare.

We call our mission

Supporting Life



care of sweden

Supporting Life

Care of Sweden AB, Box 146, SE-514 23 Tranemo, Sweden
+46 (0)771 106 600 | info@careofsweden.se | www.careofsweden.com